

NewLife[®] ECO-PRO

PREMIUM COMFORT
FOR EMPLOYEES WHO STAND

Energy-return
polyurethane
foam



REDUCE INJURIES WHILE IMPROVING PRODUCTIVITY AND SAFETY:

- ▶ 3/4" thick durable polyurethane foam delivers deep-cushion comfort
- ▶ Proper ergonomic support reduces aches, strains & work-related injuries
- ▶ Positively impacts employee productivity, safety & morale
- ▶ Ergonomic study winner for reducing spinal compression & increasing flexibility
- ▶ Will never bottom out, delaminate or wear down
- ▶ Bounce-back memory restores energy while standing
- ▶ Tough for commercial spaces and aesthetically pleasing for offices
- ▶ One-piece construction with integral skin is water and dirt-resistant
- ▶ Durable, stain-resistant surface with brushed texture design
- ▶ Certified by the National Floor Safety Institute for superior high-traction bottom surface
- ▶ Low-profile, durable edges help prevent tripping
- ▶ 5-year warranty

PERFECT SOLUTION FOR:

- ▶ Retail stores
- ▶ Service counters
- ▶ Shipping & receiving
- ▶ Airports
- ▶ Hotels
- ▶ Offices
- ▶ Light industrial areas
- ▶ Pharmacies



*"Our employees love how your mats feel!
They definitely take away the pain from
standing all day long."*

C. Rabb, President
Wag-a-Bag Convenience Stores



Commercial Anti-Fatigue Mat Comparison



	NEWLIFE® ECO-PRO™ CELLULON® POLYURETHANE	VINYL SURFACE WITH FOAM BASE	NITRILE RUBBER	CUT FLAT FOAM	FABRIC-COVERED NITRILE RUBBER	DRAIN-THRU RUBBER
ALL-DAY COMFORT	★★★★★	★	★	★★	★	★
ERGONOMIC SUPPORT	★★★★★	★	★		★★	★
ABSORBS & RETURNS ENERGY	★★★★★	★	★	★	★★	
DOES NOT BOTTOM OUT	★★★★★	★★	★★★★		★★★★	★★★★
SLIP-RESISTANT	★★★★★		★★★★	★	★	
DURABILITY	★★★★★	★★★★	★★★★★			★★★★★
EASY TO CLEAN	★★★★★	★★★★	★★★★	★		★★
LASTING QUALITY CONSTRUCTION	★★★★★		★★			★★
ECO-FRIENDLY	★★★★★					



Ergonomic Study Winner

- ▶ **Ergonomically designed to provide the perfect balance of premium comfort and optimal support**
- ▶ **One-piece polyurethane foam mat with integral skin**
 - Will not delaminate or wear down
 - Will not absorb dirt and water
- ▶ **According to a recent study conducted by Texas A&M University, the NewLife® Eco-Pro™ Anti-Fatigue Mat was the ONLY anti-fatigue mat proven to:**
 - Show a statistically significant difference in reducing spinal compression in workers who stand for prolonged periods of time.
 - Show a statistically significant increase in flexibility in workers who stand for prolonged periods of time.

Conclusion:

NewLife® Eco-Pro™ Anti-fatigue Mats helps prevent the discomfort associated with standing at work. As a result, it increases productivity, employee morale and reduces the exposure to health claims.



Why are rubber & vinyl mats ineffective?

- Do not offer ergonomic benefits and can perform the same as standing on a bare floor.*
- Results in increased spinal compression and reduced flexibility.
- Offer little if any energy absorption & energy return.
- Results in increased fatigue, physical stress and discomfort.
- Results in accelerated pain in back, leg & foot areas.
- Do not offer proper support to encourage continued blood circulation.
- Compress, delaminate and break down quickly.
- Results in frequent replacements.
- Edges curl, tear or disintegrate.
- Results in possible trip hazards and possible injury.
- Sponge bottoms break-down and absorb moisture resulting in microbial growth, musty smells and unsanitary conditions.

*Source: 2012 Ergonomic Study of Industrial Anti-Fatigue Mats, Texas A&M University System Health Science Center, School of Rural Public Health




Standard Colors & Sizes

- 20" x 32"
- 24" x 36"
- 20" x 48"
- 20" x 72"
- 36" x 60"

CONTINUOUS COMFORT™

LARGE SCALE COMFORT

Available in Black & Safety Yellow



- Virtually invisible seams
- Stain-resistant & waterproof
- Anti-microbial properties
- Puncture-resistant
- Lightweight & easy-to-clean
- Beveled edges prevent tripping

NewLife[®] ECO-PRO

TECHNICAL SPECIFICATIONS

Weight

20"x32": **5.6 lbs.**

20"x48": **8.5 lbs.**

20"x72": **12.9 lbs.**

24"x36": **7.6 lbs.**

36"x60": **19.9 lbs.**

Material

Formed polyurethane
Bio-Foam[®]

Thickness

0.75"



Matte Textured
top surface provides
optimum friction

Durable
commercial grade
heavy-duty
polyurethane

Anti-microbial
properties for added
protection

Eco-Friendly
constructed with Bio-Foam[®]
a renewable, plant-based
resource

Beveled Edge
beveled at 18° to
reduce tripping
potential



↑
3/4" thick
↓



High-Traction Bottom
certified by the
National Floor Safety Institute

Integral Skin
stain & puncture-resistant surface
prevents absorption of dirt & water

Premium Comfort
proprietary Cellulon[®] core technology
will not lose bounce over time

Density per ASTM D 3574: 333 Kg/m³

Hardness per ASTM D 2240: 75

Tensile per ASTM D 3574: 766 kPa

Elongation per ASTM D 3574: 230%

Tear Strength per ASTM D 3574: 1250 N/m

Puncture per ASTM D 4833: 270 N

IFD 25% per ASTM D 3574: 310 N

IFD 65% per ASTM D 3574: 2800 N

Non-skid per NFSI 101-C: Certified

Flammability/Burn Resistance
per CFR 16 Parts 1630/1631: Certified

Non-Toxic:
REACH: Certified
Proposition 65: Certified

Anti-Microbial Resistance per ISO 22196
MRSA: 99.9% reduction
E. coli: 99.9% reduction

Warranty: 5 years

Made with pride in the USA

